

Keysight Technologies

A Flexible Test Solution for 2.4 GHz ZigBee Transmitters and Receivers

Application Note



Introduction

ZigBee is based on the IEEE802.15.4 standard and was adopted on 16 December 2004 by the ZigBee Alliance. It is used widely in the Internet of Things (IoT) industry due to its low-power use, low-cost, and wireless mesh network standard. Typical applications areas include home entertainment and control, wireless sensor networks, industrial control, medical data collection, building automation, and smart utility meter.

The bands and usage of ZigBee are as shown Table 1.

Band	Frequency (MHz)	Chip rate (kchip/s)	Modulation type	Pulse shaping filter	Usage
868	868 to 868.6	300	BPSK	RRC (root raised cosine)	European
915	902 to 928	600	BPSK	RRC	North American
2450	2400 to 2483.5	2000	O-QPSK	Half sine	Global

Table 1. ZigBee bands and properties.

This application note explains a low cost measurement solution for 2.4 GHz ZigBee O-QPSK signal generation for receiver test and signal analysis for transmitter test.

2.4 GHz O-QPSK ZigBee Receiver Test Solution

During the R&D or manufacturing process, it is necessary to generate the corresponding digital modulation signals for RF receiver testing. Sensitivity is the key item to evaluate when testing the receiver’s performance. You need to generate a real ZigBee signal and inject it into the receiver, and check if the receiver works properly at the minimum power level of an input ZigBee signal.

The Keysight Technologies, Inc. flexible solution addresses this need. It uses the 33522B dual-channel waveform generator and N9310A RF signal generator to build a real-world ZigBee signal. This is an affordable alternative if an integrated vector signal generator is not available.

System setup

Configuring the receiver test solution is done by connecting the Channel 1 and Channel 2 outputs of the 33522B to the I and Q input ports of the N9310A using two BNC cables as shown in Figure 1.




Figure 1. ZigBee signal generation with N9310A and 33522B

3 Steps to Generate a 2.4 GHz ZigBee O-QPSK Receiver Test Signal

The flexible Keysight solution lets you generate an O-QPSK signal for your 2.4 GHz ZigBee receiver test in three simple steps.

Step 1. Generating the baseband waveform

You can use the ZigBee Baseband Signal Generation software to edit the baseband waveform, export it into a csv. file and load it on a Keysight 33522B waveform generator. After downloading you will get a zip file named as “ZigBee_Signal_Generation.zip”. Unzip it and you will get two files: “ZigBee_Signal_Generation.exe” and “PPDU.txt”. Double click “ZigBee_Signal_Generation.exe” and you will see the user interface shown in Figure 2.



Figure 2. ZigBee Baseband Signal Generation Software

This software offers two ways to create the baseband waveform.

Read PPDU.txt file. This is the default method:

1. Open the PPDU.txt file with the Notepad
2. Edit the “0” and “1” data in the file, then **Save** and **Exit** the Notepad. Do not rename it
3. Click **Read PPDU_ txt file**
4. Click **Export I/Q Baseband Data to ZigBee.csv File**
5. A new ZigBee.csv file will be generated in the same folder

Input the PPDU packet data manually:

1. Click **PPDU Packet Input Manual**
2. Input the “0” and “1” data data in the corresponding field
3. Click **Export I/Q Baseband Data to ZigBee.csv File**
4. A new ZigBee.csv file will be generated in the same folder

What is PPDU?

PHY protocol data units (PPDU) in ZigBee physical layer is defined in Figure 3 shown below.

		Octets		
		1	Variable	
Preamble	SFD	Frame length (7 bits)	Reserved (1 bit)	PSDU
SHR		PHR		PHY payload

Figure 3. ZigBee PPDU structure

3 Steps to Generate a 2.4 GHz ZigBee O-QPSK Receiver Test Signal (Continued)

Step 2. Loading the baseband waveform file in a 33522B waveform generator

1. Copy the ZigBee.csv file to a USB memory stick and insert it into the USB port of the 33522B
2. Load the .csv file into the 33522B to build the baseband signal as follows:
 - 2.1 Select **Arb** > **Arbs** ↓ > **Import Data** ↓
 - 2.2 Select **Select Data File**, then rotate the knob to highlight **External**, press the button to the lower right side of the knob. See Figure 4.




Figure 4.

- 2.5 Toggle to **ASCII Mode**, and select **Import Data** > **Yes** to load this .csv file. See Figure 6.



Figure 6.

3. Set up the 33522B parameters as follows:
 - 3.1 Select **Sample rate** > [8] > **MSa/s**
 - 3.2 Select **Amplitude** > **1.414** > **Vpp**
 - 3.3 Select **Filter** > **Off**
 - 3.4 Press [1] of **Channel Setup** > **Output** > **On**, and press [2] of **Channel Setup** > **Output** > **On**. Now the ZigBee baseband signal output is enabled

- 2.3 Rotate the knob to highlight the ZigBee.csv file, and choose **Select**
- 2.4 Toggle the 33522B to IQ Mode and select **Next**. See Figure 5




Figure 5.

3 Steps to Generate a 2.4 GHz ZigBee O-QPSK Receiver Test Signal (Continued)

Step 3. Generating the 2.4 GHz O-QPSK ZigBee signal with an N9310A RF signal generator

Use the following steps to configure the N9310A:

1. Select **Frequency** > [2.45] > **GHz**
2. Select **Amplitude** > [0] > **dBm**
3. Select **IQ** > **On**
4. Select **Mod On** and **RF On**

To verify the ZigBee O-QPSK RF signal, you can use an N9000B CXA signal analyzer and N9084C short-range communications measurement application to demodulate it. Figure 8 shows the demodulation metrics of the O-QPSK signal.




Figure 7. Demodulation metrics shown on the CXA N9000B

2.4 GHz O-QPSK ZigBee Transmitter Test Solution

According to the ZigBee transmitter characterization standards, the following items are tested with a spectrum analyzer (signal analyzer):


- Relative power spectral density
- Absolution power spectral density
- Maximum transmit power
- Center frequency tolerance
- EVM
- Offset EVM

Products used for ZigBee transmitter test solutions, shown in Figure 9, vary depending upon the end user's requirements:

- **ZigBee transmitter research and development:**
N9000B CXA signal analyzer with the N9084C short range communications measurement application. N9084C offers standard-based ZigBee and Z-wave transmitter conformance test.
- **ZigBee transmitter manufacturing and repair:**
N9320B/N9322C basic spectrum analyzer (BSA). This configuration offers channel and occupied bandwidth measurements, and is best suited for production lines and repair bench dues to its high price/performance ratio.

Device under
test
(Transmitter)

RF



N9320B/N9322C
basic spectrum analyzer (BSA)

ZigBee transmitter
manufacturing and
repair



N9000B CXA X-Series signal analyzer

ZigBee transmitter
R&D

Figure 9. ZigBee transmitter test solutions

Conclusion

The combination of the 33522B waveform generator, N9310A RF signal generator, N9320B/22C spectrum analyzer, and N9000B CXA signal analyzer offer flexible, and reliable solutions to test ZigBee receiver and transmitter.

Reference Test System Setup


Model/Option	Description
Keysight 33522B	30 MHz, dual channel waveform generator
33522B-MEM	16 M memory
33522B-IQP	I/Q baseband signal player
33522B-OCX	High-stability OCXO timebase
Keysight N9310A	RF signal generator, 9 kHz to 3 GHz
N9310A-001	I/Q modulator, 20 MHz
Keysight N9000B CXA N9084C	CXA signal analyzer, 9 kHz to 3/7/13/26 GHz
W9064A-1FP and -2FP	Short-range communications measurement application
Keysight N9320B/N9322C	BSA spectrum analyzer, 9 kHz to 3/7 GHz

Table 2. Equipment models and options for low cost 2.4 GHz ZigBee O-QPSK signal generation.

Evolving Since 1939

Our unique combination of hardware, software, services, and people can help you reach your next breakthrough. We are unlocking the future of technology.

From Hewlett-Packard to Agilent to Keysight.



myKeysight

myKeysight

www.keysight.com/find/mykeysight

A personalized view into the information most relevant to you.

http://www.keysight.com/find/emt_product_registration

Register your products to get up-to-date product information and find warranty information.

KEYSIGHT SERVICES

Accelerate Technology Adoption.
Lower costs.

Keysight Services

www.keysight.com/find/service

Keysight Services can help from acquisition to renewal across your instrument's lifecycle. Our comprehensive service offerings—one-stop calibration, repair, asset management, technology refresh, consulting, training and more—helps you improve product quality and lower costs.

Keysight Assurance Plans

www.keysight.com/find/AssurancePlans

Up to ten years of protection and no budgetary surprises to ensure your instruments are operating to specification, so you can rely on accurate measurements.

Keysight Channel Partners

www.keysight.com/find/channelpartners

Get the best of both worlds: Keysight's measurement expertise and product breadth, combined with channel partner convenience.

www.keysight.com/find/n9310a

www.keysight.com/find/33522b

www.keysight.com/find/n9000a

www.keysight.com/find/w9064a

www.keysight.com/find/n9320b

www.keysight.com/find/n9322c

For more information on Keysight Technologies' products, applications or services, please contact your local Keysight office. The complete list is available at:

www.keysight.com/find/contactus

Americas

Canada	(877) 894 4414
Brazil	55 11 3351 7010
Mexico	001 800 254 2440
United States	(800) 829 4444

Asia Pacific

Australia	1 800 629 485
China	800 810 0189
Hong Kong	800 938 693
India	1 800 11 2626
Japan	0120 (421) 345
Korea	080 769 0800
Malaysia	1 800 888 848
Singapore	1 800 375 8100
Taiwan	0800 047 866
Other AP Countries	(65) 6375 8100

Europe & Middle East

Austria	0800 001122
Belgium	0800 58580
Finland	0800 523252
France	0805 980333
Germany	0800 6270999
Ireland	1800 832700
Israel	1 809 343051
Italy	800 599100
Luxembourg	+32 800 58580
Netherlands	0800 0233200
Russia	8800 5009286
Spain	800 000154
Sweden	0200 882255
Switzerland	0800 805353
	Opt. 1 (DE)
	Opt. 2 (FR)
	Opt. 3 (IT)
United Kingdom	0800 0260637

For other unlisted countries:

www.keysight.com/find/contactus
(BP-9-7-17)

DEKRA Certified
ISO 9001 Quality Management System

www.keysight.com/go/quality

Keysight Technologies, Inc.
DEKRA Certified ISO 9001:2015
Quality Management System

This information is subject to change without notice.

© Keysight Technologies, 2015 - 2018

Published in USA, April 3, 2018

5992-0464EN

www.keysight.com